16,RAFFLES QUAY

#33 - 03, HONG LEONG BUILDING

SINGAPORE 048581

Email:aaresources@vsnl.com



Electronic Drying Cabinets

APPLICATION:

Electronic drying Cabinets are specially designed for modern professional to store items particularly sensitive to moisture and contamination like: Semiconductors, liquid Crystals, Quartz Oscillators, Wafers, Filters, Fine Chemicals, Powder Material, Gauges, Circuit Boards, Detectors, etc.

FEATURES:

- Suitable for small spaces with large capacity.
- Prevention of wetness, fungus, dust, oxidation, aging & rust.
- Automatic 10~50% RH at ambient temperature.
- Totally silent operation.
- Maintenance free.
- No consumable parts required.
- Minimal electricity consumption.
- Low one-time cost for lifetime protection.
- Digital display the humidity and temperature value of the cabinet inside
- Distance between trays is adjustable
- Body materials: coated steel plate
- Doors materials: PVC extruding frame, gas tight magnetic materials, temperature glass and locks

16, RAFFLES QUAY

#33-03, HONG LEONG BUILDING

SINGAPORE 048581

Email:aaresources@vsnl.com



TECHNICAL SPECIFICATIONS

HT160 series



Dimension: W448*D450*H1010

dehumidify capacity: 160 liters rating voltage:220V 50HZ

trays number:3 pieces

HT160 series include:

HTA160E: 20%~60%RH adjustable

HTB 160E: 10%~20~RH HTC 160E: 1~10%RH

HT240 series



Dimension: W600*D400*H1200 mm

Dehumidify capacity: 240 Litre

Rating voltage :220V 50HZ

Trays number:3 pieces

HT240 series include::

HTA240E: 20%~60%RH adjustable

HTB240E: 10%~20%RH

HTC240E: 1%~10%RH

16, RAFFLES QUAY

#33-03, HONG LEONG BUILDING

SINGAPORE 048581

Email:aaresources@vsnl.com



HT718 series



Dimension: W600*D710*H1910 mm

Dehumidify capacity:718升

Rating voltage:220V 50HZ

trays number:5 pieces

HT718 series include"

HTA718E: 20%~60%RH adjustable

HTB718E: 10%~20%RH

HTC718E: 1%~10%RH

HT320 series



Dimension: W 900*D450*H1010 mm

Dehumidify capacity: 320 liter

Rating voltage:220V 50HZ

trays number: 3 pieces

HT320 series:

HTA320E: 20%~60%RH可调

HTB320E: 10%~20%RH

HTC320E: 1%~10%RH

16,RAFFLES QUAY

#33-03, HONG LEONG BUILDING

SINGAPORE 048581

Email:aaresources@vsnl.com





Dimension: W1200*D710*H1910 mm

Dehumidify:1436 liter

Rating voltage:220V 50HZ

Trays number:5 pieces

HT1436 series include:

HTA1436E: 20%~60%RH adjustable

HTB1436E: 10%~20%RH

HTC1436E:1%~10%RH